

# CORIAN® QUARTZ

## EFFECTS OF HEALTHCARE CHEMICAL DISINFECTANTS

Corian® Quartz is a durable, long-lasting and virtually maintenance-free material that provides the needed performance for today's healthcare industry. This bulletin reviews the compatibility of commonly used chemical disinfectant solutions with Corian® Quartz.

In a healthcare setting, it is essential to be able to control the spread of infectious diseases. This is done partially through proper cleaning of surfaces within the healthcare environment. The choice of specific cleaning and disinfecting agents is largely a matter of judgment, facility procedures or government regulations. A single chemical disinfectant may not be suitable for all purposes or all environments within the healthcare facility.

The evaluation conducted by Corian® Design has examined the effects of disinfectant exposure on Corian® Quartz. A procedure similar to that described for testing of materials per ISO 19712-2:2007 and ANSI/ICPA SS-1-2001 was used to evaluate the effects of these disinfectants on Corian® Quartz. Several drops of each disinfectant were placed on the surface and covered with a concave glass cover. After 16 hours, the glass cover was removed and the sample was removed from the surface with soap and water. The following tables list the disinfectants used in this evaluation and the effect(s) the disinfectant had on Corian® Quartz.

### Sterilants /High Level Disinfectants

Disinfectant	Effect on Corian® Quartz	Maintenance Procedure
Ortho-Phthalaldehyde	No effect	None Required
Glutaraldehyde	No effect	None Required
Glutaraldehyde and Phenol	No effect	None Required
Peracetic Acid	No effect	None Required
Hydrogen Peroxide	No effect	None Required
Hydrogen Peroxide and Paracetic Acid	No effect	None Required

**Sterilants/High Level Disinfectants:** *Used according to the manufacturer's use-dilution directions for High Level Disinfection. Prolonged exposure to concentrated, undiluted disinfectant solutions may lower the gloss on the quartz surface in the affected area and require repair. Clean spills promptly, additional information regarding Corian® Quartz Care and Maintenance may be found on [www.corianquartz.com](http://www.corianquartz.com).*

### ENVIRONMENTAL SURFACE DISINFECTANTS

Disinfectant	Effect on Corian® Quartz	Maintenance Procedure
Ortho-Phthalaldehyde	No effect	None Required
Glutaraldehyde	No effect	None Required
Glutaraldehyde and Phenol	No effect	None Required
Peracetic Acid	No effect	None Required
Hydrogen Peroxide	No effect	None Required
Hydrogen Peroxide and Paracetic Acid	No effect	None Required
Paracetic Acid	No effect	None Required
Phenol	No effect	None Required
Hypochlorite (Bleach)	No effect	None Required
Accelerated Hydrogen Peroxide	No effect	None Required
Quaternary Ammonium Compounds	No effect	None Required
Alcohol (Ethyl, Isopropyl)	No effect	None Required
Alcohol (Ethyl, Isopropyl) and Quaternary Ammonium Compounds	No effect	None Required

*Environmental Surface Disinfectants were used according to the manufacturer's use-dilution directions for general disinfection. Prolonged exposure to concentrated, undiluted disinfectant solutions may lower the gloss on the quartz surface in the affected area and require repair. Clean spills promptly, additional information regarding regarding Corian® Quartz Care and Maintenance may be found on [www.corianquartz.com](http://www.corianquartz.com)*

#### References

*Schulster LM, Chinn RYW, Arduino MJ, Carpenter J, Donlan R, Ashford D, Besser R, Fields B, McNeil MM, Whitney C, Wong S, Juraneck D, Cleveland J. Guidelines for environmental infection control in health-care facilities. Recommendations from CDC and the Healthcare Infection Control Practices Advisory Committee (HICPAC). Chicago IL; American Society for Healthcare Engineering/American Hospital Association; 2004.*

PLEASE VISIT OUR WEB SITE: [WWW.CORIANQUARTZ.COM](http://WWW.CORIANQUARTZ.COM) OR CONTACT YOUR CORIAN® REPRESENTATIVE FOR MORE INFORMATION ABOUT CORIAN® QUARTZ

The Corian® Quartz Logo and Corian®, and all trademarks and service marks denoted with ™, ® or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted. © 2020 DuPont.